



Unveiling the complex correlation patterns in Mrk 421

Axel Arbet-Engels Institute for Particle Physics and Astrophysics, ETH Zürich

David Paneque, Lea Heckmann for the MAGIC, FACT & Fermi-LAT Collaborations and MWL collaborators Based on **arXiv:2106.05516**



(Acciari et al. 2021, arXiv:2106.05516)

• **MWL campaign between 2016 December and 2017 June:** MAGIC, FACT, *Fermi*-LAT, *NuSTAR*, *Swift*-BAT, *Swift*-XRT, *Swift*-UVOT, GASP-WEBT, OVRO, Medicina and Metsähovi



- **MWL campaign between 2016 December and 2017 June:** MAGIC, FACT, *Fermi*-LAT, *NuSTAR*, *Swift*-BAT, *Swift*-XRT, *Swift*-UVOT, GASP-WEBT, OVRO, Medicina and Metsähovi
- VHE vs X-ray flux correlation in sub-energy bands: Characteristic substantially varies across energy bands



- **MWL campaign between 2016 December and 2017 June:** MAGIC, FACT, *Fermi*-LAT, *NuSTAR*, *Swift*-BAT, *Swift*-XRT, *Swift*-UVOT, GASP-WEBT, OVRO, Medicina and Metsähovi
- VHE vs X-ray flux correlation in sub-energy bands: Characteristic substantially varies across energy bands
- Anti-correlation between optical & X-ray fluxes: Indicate change in acceleration & cooling efficiencies



- **MWL campaign between 2016 December and 2017 June:** MAGIC, FACT, *Fermi*-LAT, *NuSTAR*, *Swift*-BAT, *Swift*-XRT, *Swift*-UVOT, GASP-WEBT, OVRO, Medicina and Metsähovi
- VHE vs X-ray flux correlation in sub-energy bands: Characteristic substantially varies across energy bands
- Anti-correlation between optical & X-ray fluxes: Indicate change in acceleration & cooling efficiencies
- "Orphan" gamma-ray activity: Could be due to an adiabatic expansion of the emitting zone over time



- **MWL campaign between 2016 December and 2017 June:** MAGIC, FACT, *Fermi*-LAT, *NuSTAR*, *Swift*-BAT, *Swift*-XRT, *Swift*-UVOT, GASP-WEBT, OVRO, Medicina and Metsähovi
- VHE vs X-ray flux correlation in sub-energy bands: Characteristic substantially varies across energy bands
- Anti-correlation between optical & X-ray fluxes:
 Indicate change in acceleration & cooling efficiencies
- "Orphan" gamma-ray activity: Could be due to an adiabatic expansion of the emitting zone over time
- Strong VHE flare w/o clear counter-part in optical, X-ray and MeV-GeV: Emergence of second emitting zone filled with highly-energetic electrons

